CONTENTS

Reference conformations for calcium antagonists and agonists of dihydropyridine type
H.-J. Hofman (Leipzig, G.D.R.) and R. Cimiraglia (Pisa, Italy) 1
Basis sets for molecular interactions. Part 3. Properties of isolated subunits
Z. Latajka (Wroclaw, Poland) 13
Pseudopotential MRD-CI calculations of nickel-containing molecules. Part 1. The electronic ground state of NiH
H. Haberlandt (Berlin, G.D.R.) 25
Kinetic energy density as a function of subshell electron densities
R. Santamaria and N.H. March (Oxford, Gt. Britain) 35
A study of core effects in quasimolecular structure
F. Martín, O. Mó, A. Riera and M. Yáñez (Madrid, Spain) 43
Analysis of multipath transmission of spin–spin coupling constants in 1-X-bicycloalkanes. Part 1. The through-space transmission via the bridgehead carbon atoms
G.A. Aucar (Corrientes, Argentina), V. Zunino (Lujan, Argentina), M.B. Ferraro, C.G. Giribet, M.C. Ruiz de Azúa and R.H. Contreras (Buenos Aires, Argentina) 63
Analysis of multipath transmission of spin–spin coupling constants in 1-X-bicycloalkanes. Part II. Additivity of coupling pathways
G.A. Aucar (Corrientes, Argentina), M.C. Ruiz de Azúa, C.G. Giribet and R.H. Contreras (Buenos Aires, Argentina) 79
On the possibility of transition states in homolytic bond dissociations
M. Sana, G. Leroy (Louvain-la-Neuve, Belgium), L.K. Vinson and J.J. Dannenberg (New York, U.S.A.) 89
Substituent effects on the strength of single bonds and in free-radical chemistry
G. Leroy, M. Sana and C. Wilante (Louvain-la-Neuve, Belgium) 97
The influence of proton transfer on the metal–substrate interaction in the active sites of zinc dependent enzymes
A.A. Voityuk (Novosibirsk, U.S.S.R.) 113
Molecular-orbital study of the relative stability of protonated nucleic acid base pairs
A.A. Voityuk and A.A. Bliznyuk (Novosibirsk, U.S.S.R.) 119
Molecular-orbital study of the effect of water molecules on nucleic acid–protein interactions
A.A. Voityuk and A.A. Bliznyuk (Novosibirsk, U.S.S.R.) 129
Bond strength of equivalent hybridization and the maximum-overlap method
F. Liu and Z.-M. Hu (Wuhan, China) 137
Bond strength of non-equivalent hybridization and the maximum overlap method
Z.-M. Hu and F. Liu (Wuhan, China) 151
Analysis of chemical bonds in some transition-metal complexes
L. Ming (Chongqing, China) and C. Yang (Suzhou, China) 159
Aminoanthracyclines: physicochemical properties as predicted by ab-initio molecular orbital calculations
V. Malatesta, G. Ranghino (Novara, Italy) and F. Morazzoni (Milan, Italy) 169
Cyclic and open-chain carbonium ion intermediates in nucleophilic halogen displacement: 2-chloroethanol, 2-chloroethanethiol and their 1,3-propane homologues. A theoretical ab-initio MO aproach
R. Benassi and F. Taddei (Modena, Italy) 177
Anisotropy of electron-density distribution around atoms in molecules: N, P, O and S atoms
S. Ikuta (Tokyo, Japan) 191
Ab initio study of lactonitrile: potential functions to the hydroxyl and methyl group torsions
C. Puebla and T.-K. Ha (Zürich, Switzerland) 203
MNDO study of the radical addition of hydrogen halides to ethylene and propene
M. Sodupe, E. Wünsch, J.M. Lluch, A. Oliva and J. Bertrán (Barcelona, Spain) 213

Ab initio gradient conformational analysis of polyazocyclohexanes: 1,4-diazocyclohexane, 1,3-diazocyclohexane and 1,3,5-triazocyclohexane
L. Carballeira, B. Fernańdez, R.A. Mosquera, M.A. Ríos, J.R. Otero and S. Vazquez (Galicia, Spain) 223
Ab initio studies of molecules with N–C–O units. Part 1. Methylaminomethanol, 1-methoxymethylamine and 1-methoxy-*N,N*-dimethyl-methylamine
L. Carballeira, B. Fernańdez, R.A. Mosquera and M.A. Ríos (Galicia, Spain) 235
The mass weighting problem of potential energy surfaces for chemical reactions: dissociation and isomerisation pathways of HCN
W. Quapp, H. Dachsel and D. Heidrich (Leipzig, G.D.R.) 245
Stability of substituted pyrylium salts and the corresponding 2-H- and 4-H-pyrans
G. Butt, S. Marriott and R.D. Topsom (Bundoora, Australia) 261
An improved iterative maximum overlap approximation method
F. Zheng and C.-G. Zhan (Wuhan, China) 267
Is the ethylenedione radical anion linear or bent?
B.J. Duke (Casuarina, N.T., Australia) 279
Calculation of thermochemical parameters for $CH_nX_{3-n}^{-} \rightarrow : CH_nX_{2-n} + X^-$, $n=0$, 1 and 2, X = Cl and Br. MO study of solvent and counter-ion effects
D.Ya Burshtein, I.A. Machkarovskaya and V.A. Petrosyan (Moscow, U.S.S.R.) 287
Ab-initio calculations of the electronic structure and properties of the diatomic zinc monohalides ZnX (X = F, Cl, Br, I)
G.A. Bowmaker and P. Schwerdtfeger (Auckland, New Zealand) 295
Expansion of Hartree–Fock atomic orbitals by a small number of Gaussian functions
O. Kikuchi, H. Wang, T. Nakano and K. Morihashi (Tsukuba, Japan) 301
Rotational potential energy surface and hyperfine structure of the n-butane cation
M.-B. Huang and S. Lunell (Uppsala, Sweden) 317
A comparative ab initio MO study of internal rotations in ethylamine and n-propylamine
L.A.E. Batista de Carvalho, A.M. Amorim da Costa and J.J.C. Teixeira-Dias (Coimbra, Portugal) 327
Conformational analysis and structure of cyclopentylcarboxylic acid fluoride
H.M. Badawi (Safat, Kuwait) 353

Short communications
A note on the classification and enumeration of coronoid hydrocarbons
J.V. Knop, W.R. Müller, K. Szymanski (Dusseldorf, F.R.G.) and N. Trinajstić (Zagreb, Yugoslavia) 361
Electrostatic proximity effects in gas-phase acidities and basicities: a comparison of theoretical methods (INDO, MNDO, AM1 and ab initio)
J. Catalan, J.L.G. de Paz, J. Elguero, A. Martinez (Madrid, Spain), R.W. Taft and F. Anvia (Irvine, CA, U.S.A.) 367

Author index 373

Subject index 375